

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<i>Buoys located 50 feet outside channel limit.</i>							
2895	DEEPWATER RANGE FRONT LIGHT	39 40 42 N 75 31 06 W	Iso W 2s (Day) Iso G 2s (Night)	30 27		On yellow cylindrical tower.	Visible all around. Higher intensity on rangeline. Lighted throughout 24 hours.
		*	*	*		*	* 26/04
2910	DEEPWATER RANGE REAR LIGHT 1,000 yards, 042° from front light.		F W (Day) F G (Night)	86 89		On yellow cylindrical tower.	Visible on rangeline only. Lighted throughout 24 hours.
			*	*		*	* 26/04
*2912	DEEPWATER RANGE REAR PASSING LIGHTS(2)		FI W 4s	41	6	On same structure as DEEPWATER RANGE REAR LIGHT.	
							26/04
3777	Tri-county Water Intake Lighted Buoy N	40 02 01 N 74 59 40 W	FI Y 6s			Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE.	Maintained from Apr. 15 to Nov. 15. Private aid.
							* 26/04
3778	Tri-county Water Intake Lighted Buoy S		FI Y 6s			Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE.	Maintained from Apr. 15 to Nov. 15. Private aid.
							* 26/04
37840	- LIGHT 3	33 57 32 N 75 59 30 W	Q G	15	4	SG-SY on pile.	
		*	*				26/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
St. Lucie Inlet							
10125	- Buoy 5	27 10 00 N 80 09 09 W				Green can.	
		*					26/04
31070	- Lighted Buoy 1	18 26 54 N 66 06 06 W	FI G 2.5s		3	Green.	
					*		26/04
37496.5	- Daybeacon A29					TR-TY on pile.	
	*						26/04
39675.1	Fox Cut Daybeacon 2					TR-TY on pile.	
						*	26/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
890	Remington-104-3 Light Buoy Marks Subsea Installation.	29 00 33 N 92 23 18 W	Q R	10		Red.	SIGN: Remington-VE-136-1. Private aid.
	*	*	*	*		*	* 26/04
	Apalachicola Bay						
28880	- Buoy 48					Red nun with yellow triangle.	
	*						26/04
28885	- Buoy 48						Remove from list.
							* 26/04
28890	- Buoy 49						Remove from list.
							* 26/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10155	Tongue Point Channel Lighted Buoy 43 50 yards outside channel limit.	46 13 02 N 123 46 16 W	FI G 4s		4	Green.	
		*			*		26/04
13060	- Light 52	46 14 02 N 119 11 26 W	FI R 4s	10	3	TR on dolphin.	
	*		*		*		26/04
13075	- Light 59	46 14 23 N 119 12 52 W	FI G 2.5s	17	3	SG on pile.	Ra ref.
	*		*		*		26/04
16155	Waadah Island Light	48 23 06 N 124 36 00 W	FI W 4s (R sector)	63	W 8 R 6	NR on concrete tower.	Red sector from 093° to 109°; covers Duncan and Duntz Rocks. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates continuously.
			*		*		* 26/04
16160	NEAH BAY LIGHT 2	48 22 41 N 124 35 40 W	FI R 6s	46	5	TR on skeleton tower.	Light obscured from 114° to 196°. HORN: 1 blast ev 30s (3s bl).
					*		26/04
*17082	Redondo Floating Breakwater Lights (3)	47 20 30 N 122 20 30 W	FI Y 4s			Floating Breakwater.	Private aid.
							26/04
	*Add Heading: *Little Goose Reservoir						
*17477	OLYMPIA HARBOR EAST BAY LIGHT 5	47 03 20 N 122 53 46 W	FI G 4s	20		SG on steel pile.	Private aid.
							26/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17478	OLYMPIA HARBOR EAST BAY LIGHT 7	47 03 16 N 122 53 44 W	FI G 2.5s	20		SG on steel pile.	Private aid.
							26/04
*17479	OLYMPIA HARBOR EAST BAY LIGHT 9	47 03 13 N 122 53 43 W	FI G 6s	20		SG on steel pile.	Private aid.
							26/04
19805	SKIPJACK ISLAND LIGHT	48 43 58 N 123 02 21 W	FI W 4s	18	6	NB on steel tower.	Obscured from 261° to 347°.
					*		26/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18985	- North Shore Marina Daybeacon 1						Remove from list.
							* 26/04
18990	- North Shore Marina Daybeacon 2						Remove from list.
							* 26/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.